# Why a Tiny Shock Still Puzzles Scientists

Static electricity is easy to feel, but scientists still do not fully know how it works.



A cat in a box has foam packing peanuts stuck to its fur because of static electricity.

According to Science News Explores, scientists are still trying to solve a surprisingly everyday mystery: **static** electricity. That is the clingy **charge** that makes a balloon stick to hair. It also makes socks stick from the dryer. Sometimes it gives a quick zap from a doorknob.

The story began with a cat named Cooper. Cooper jumped into a box of foam packing peanuts. When her owner lifted her out, the peanuts stuck all over her fur. The photo later helped many people picture static electricity.

Scientists know the big idea. Tiny parts of **atoms** carry electric charge. Electrons have negative charge. Protons have positive charge. When two things touch or rub, some charge can move. Then one object may become more positive. The other may become more negative. Opposite charges pull toward each other. That is why the foam clung to Cooper.

But the closer scientists look, the trickier the story gets. They do not always know what actually moves between two surfaces. It might be electrons. It might be **ions**, which are atoms or molecules with charge. It might even be tiny bits of material.

That matters because static electricity is not only a party trick. It can affect powders, plastic, cloth, and machines. Engineers, who design things, need to know how materials act. Chemists, who study what things are made of, want to know why some surfaces gain charge.

There is a list called the triboelectric series. It helps predict which materials become positive or negative after touching. Hair and foam are in different places on that list. That helps explain Cooper's sticky coat. Yet the list does not explain why the materials are ordered that way.

Studying static is hard because the charge can be very small. One scientist said it can be like looking for a tiny minority on a **surface**. Imagine checking a huge playground for only a few special grains of sand.

The mystery may feel familiar. A shock from a doorknob lasts only a moment. A balloon trick takes seconds. But those little moments are clues. They show that even common things can hide questions scientists have not finished answering.

---

Written from reporting by Science News Explores.

---

THINK IT THROUGH

1. **If you saw foam pieces stick to an animal or a sweater, what would you test first to learn why it happened?**

   > **A strong answer:** A strong answer should propose a fair test, name one thing to change, and explain what the result might show.

2. **Should scientists spend time on everyday mysteries, even when they seem small at first?**

   > **A strong answer:** A strong answer should weigh curiosity, possible uses, and the fact that scientists have limited time and money.

3. **The triboelectric series can predict what may happen, but it does not fully explain why. Is that kind of tool still useful?**

   > **A strong answer:** A strong answer should compare prediction and explanation, using static electricity or another example.

# Why a Tiny Shock Still Puzzles Scientists


C E T R A I O L C C
E T R T T E O A H E
L O J A L T T N I R
E A T S A C P R S I
C P C E T H R O U T
T R T O O A O S R F
R R A O M R T H F R
O T D G S G O I A T
N N U I A E N E C C
O P H O M H R E E U

ATOMS CHARGE ELECTRON IONS PROTON STATIC SURFACE



Elementary · Friday, November 6, 2026 · Teacher copy · © 2026 3andB Inc.

# Why a Tiny Shock Still Puzzles Scientists




ACROSS

2 Particles with extra or missing electrons

4 Tiny part inside an atom with a positive electric property

5 Electric feature that can make objects pull together or push apart

7 Tiny negatively charged part inside an atom

DOWN

1 Buildup of electric power that can make things stick or cause a tiny shock


3 Outside layer of an object that can touch something else

6 Tiny building blocks that make up all matter




Elementary · Friday, November 6, 2026 · Teacher copy · © 2026 3andB Inc.

# Why a Tiny Shock Still Puzzles Scientists — answer key




ATOMS CHARGE ELECTRON IONS PROTON STATIC SURFACE

# Why a Tiny Shock Still Puzzles Scientists — answer key




ACROSS

2 Particles with extra or missing electrons

4 Tiny part inside an atom with a positive electric property

5 Electric feature that can make objects pull together or push apart

7 Tiny negatively charged part inside an atom

DOWN

1 Buildup of electric power that can make things stick or cause a tiny shock

3 Outside layer of an object that can touch something else

6 Tiny building blocks that make up all matter



Elementary · Friday, November 6, 2026 · Teacher copy · © 2026 3andB Inc.

# Where this came from

This article was written for 3andB from the reporting below. It is not a reprint — the wording is ours and the facts are theirs.

**Science News Explores**

"Static electricity remains shockingly mysterious"

| | |
|---|---|
| Published | Thursday, November 5, 2026 |
| Read by us on | Friday, November 6, 2026 |

https://www.snexplores.org/article/static-electricity-shock-mysterious

## WHAT IS IN THIS PACKET

The article with a note on each question, a word search, a crossword, and the answer key to both.

## COPYING AND REUSE

Free to print, copy and hand out for classroom use. Please keep this page with the packet, so the next teacher can see where the story came from.

### More where this came from

If this short lesson worked for your class, our full workbooks go further with the same care:

- Complete units with student and teacher editions
- Worked solutions for every exercise
- Standards-aligned, classroom-tested, print-ready

**See the full lessons at 3andB.com**

© 2026 3andB Inc.